

PRODUCT INFORMATION SHEET

ZINPRO® 120

A nutritional feed ingredient for animal feed. When used as a commercial feed ingredient, it must be declared as zinc methionine complex. Association of American Feed Control Officials (AAFCO) No. 57.151. Canada Reg. No. 983342.



TYPICAL ANALYSIS

MINERALS	Zinc	12.0%
PROXIMATES	Moisture	1.0 - 2.5%
	Ash	38.0%
	Crude Protein	17.6%

PHYSICAL CHARACTERISTICS

Color	Brown
Texture	Granular
Particle Characteristics	Free flowing, slightly hygroscopic
Density	40 - 42 lb/ft ³ / 640 - 670 kg/m ³
Solubility	Active product is water soluble
Package Type	Multiwall bag
Package Weight	55.1 lb / 25 kg

SAFE HANDLING & STORAGE

When correctly used, there is no toxicity hazard in the use of ZINPRO® 120. Refer to the SDS for more detail. Store in a clean and dry environment. Follow label directions and rotate inventory to ensure fresh product.

Shelf Life: 5 years after the date of manufacture

FEEDING INSTRUCTIONS

		g/hd/d	g/US Ton	g/MT	PPM (mineral)
DAIRY CATTLE	All				40
BEEF CATTLE	Creep Feed		500	540	
	Weaned Calves	•			30
	Cows and Bulls	3			
	Feedlot Receiv	ing			60
	Feedlot Finishi			60	
SHEEP	AII†	0.33			
GOATS	ΑII [†]	0.4			
HORSES	All	3	680	750	
SWINE	Nursery [†]		375	425	
	Grow/Finish [†]		375	425	
	Sows and Boar	rs†	375	425	
POULTRY	All		300	325	
AQUACULTURE	Salmonids and Fish	Marine	605	667	
	Tilapia and Fre	shwater	454	500	
	Shrimp		454	500	
COMPANION	Canine		775	850	
	Feline		575	625	
SPECIALTY	Deer [†]	1.5			
	Elk†	3			
	Llamas†	0.8			

^{*} PPM of mineral provided in the complete diet.

BEEF CATTLE: Creep feed recommendation based on daily intake of 1% body weight.

HORSES: All recommendations based on a mature horse of 500 kg body weight consuming 4 kg of complete feed.

Product not available in all countries. ZINPRO CORPORATION zinpro.com PI-9992 | 22DEC21

[†] Double recommended levels during periods of reduced feed intake, or high production stress.